

china

IOS

jinshunlai

90000ton

0.1mm-900mm

# ASTM C11000 C10200 Pure Ground Rod Copper 12mm 14mm 16mm

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- 1kg contact us 5day L/C, T/T , Western Union,D/P

### **Product Specification**

<ul> <li>Bending Strength:</li> </ul>	400N
<ul> <li>Compression Strength:</li> </ul>	500N
• Diameter:	12mm
• Hardness:	HV100
<ul> <li>Impact Strength:</li> </ul>	300N
<ul> <li>Length:</li> </ul>	1m
Material:	Copper
<ul> <li>Package:</li> </ul>	Carton
<ul> <li>Product Name:</li> </ul>	Copper Earth Rod
<ul> <li>Shear Strength:</li> </ul>	200N
<ul> <li>Surface Treatment:</li> </ul>	Galvanized
<ul> <li>Tensile Strength:</li> </ul>	1000N
• Thread:	M8
<ul> <li>Torsion Strength:</li> </ul>	200N
Weight:	1.2kg



# More Images



# ASTM C11000 C10200 Pure Ground Rod Copper 12mm 14mm 16mm

### Industry-specific attributes

Brand Name	jinshunlai	
Other attributes		
Place of Origin	Jiangsu, China	
Model Number	JDB-J210	
Item	Electrode Copper Earth Rod	
Material	Copper Layer and Steel Core	
Copper layer thickness	>=0.254mm	
Purity of Copper	>=99.95%	
Tensile strength	>=580Nm/mm	
Straightness error	<=1mm/m	
Service life	>=50 years	
Diameter	14.2mm~25mm; (5/8, 3/4)	
Length	1.2m~3.0m(4ft~10ft)	
Certication	ISO9001: 2008	

#### Packaging & delivery

#### Supply Ability

Supply Ability

50000 Piece/Pieces per Month





32 Chengnan Road, New District, Wuxi City, Jiangsu Province, China