Brass Graphite Self Lubricating Bronze Bushings High Precision

Basic Information

Place of Origin: chinaBrand Name: jinshunlai

• Certification: ISO, AISI, ASTM, GB, EN, DIN

Model Number: 0.1mm-900mm

• Minimum Order Quantity: 1kg

• Price: Contact Us

Packaging Details: Waterproof Paper, Steel Strip Packed and

other Standard Export Seaworthy Package,

or customized package

• Delivery Time: 5day

• Payment Terms: L/C, T/T, Western Union

• Supply Ability: 90000ton



Product Specification

• Chemical Composition: Cu-Ni Excellent · Corrosion Resistance: 8.9 G/cm3 . Density: • Electrical Conductivity: ≤20%IACS . Elongation: 30-40% Formability: Good . Hardness: High . Heat Treatment: Annealing Machinability: Good

Melting Point: 1453-1475°C
Name: Copper Nickel Alloy
Tensile Strength: 400-550 MPa
Thermal Conductivity: 50-70 W/mK
Weldability: Good

Yield Strength: 200-350 MPa



More Images



Product Description

Key attributes

Industry-specific attributes

Applicable Industries	Machinery Repair Shops
Туре	sleeve
Material	brass

Other attributes

Place of Origin	shandong, China
Brand Name	jinshunlai
Model Number	bronze bushing
Product Name	Bearing Sleeve Bore Self-Lubricating Sintered Bronze Bushings
Keyword	bronze bushing
Materials Avaliable	Aluminum Alloy/Zinc Alloy/Metal/Stainless Steel/Brass,etc
Finish	Polishing/Anodized/Powder Coating/Sandblasting/Electroplating
Drawing Format	PDF/DWG/IGS/STP/JPG, etc
MOQ	10 pcs
QC Control	100% inspection before shipment, Third Party inspection available
Tolerance	+/-0.002~+/-0.005mm
Delivery Time	3-5 working days for samples, 10-20 days for bulk order
Payment Terms	PayPal/Western Union, 30% T/T in advance, 70% balance before shipment

Packaging & delivery



Copper Wuxi Jinnuo copper Co.,Ltd







sales01@shuangheyisteel.com



© copper-solid.com

