# Top Quality Copper Alloy C17200 C17500 Copper Beryllium Foil Strip For Building Industrial

#### **Basic Information**

Place of Origin: chinaBrand Name: jinshunlai

• Certification: ISO, AISI, ASTM, GB, EN, DIN

Model Number: 0.1nm-900nm

• Minimum Order Quantity: 1kg

• Price: Contact Us

Packaging Details: Waterproof Paper, Steel Strip Packed and

other Standard Export Seaworthy Package,

or customized package

• Delivery Time: 5day

• Payment Terms: L/C, T/T, Western Union

• Supply Ability: 90000ton



### **Product Specification**

• Coefficient Of Thermal 17.2 μm/m°C Expansion:

Density: 8.9 G/cm3Hardness: HB 90


Material: Chromium Zirconium Copper

Modulus Of Elasticity: 120 GPa
Poisson's Ratio: 0.35
Shear Modulus: 45 GPa
Thermal Conductivity: 170 W/mK
Thickness: Sheet
Yield Strength: 200 MPa



#### More Images





# **Product Description**



#### Copper Coil

Good electrical conductivity Strong plasticity Excellent thermal conductivity Good ductility Corrosion resistance

## □○MATERIAL COMPARISON ○□-

#### RED COPPER



#### BRASS



# **Product Description**

Product Name	Copper Beryllium Foil Strip
Standard	ASTM B152, JIS H3140, GB/T 5231, etc.
Shape	Coil / Strip / Roll
Material	T1, T2, T3, C1100, TU1, TU2, TP1, TP2, C1020, C1201, C1220, C11000, etc.
Thickness	0.1-3.0mm
Width	30-1000mm
Hardness	O, 1/2H, 1/4H, 3/4H, H, EH, SH, etc.
Color	Red Purple
Tensile Strength	≥295Mpa
Elongation	≥3%
Element	Cu
Feature	Good plasticity, easy welding, corrosion resistance
Application	Used in electronics, construction, industry and other fields

# **Product Image**





# **Packaging And Shipping**





32 Chengnan Road, New District, Wuxi City, Jiangsu Province, China